

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 2/6/2018 Version: 1

SECTION 1: Identification

Identification

Product form : Mixture

Product name : Excel Fast Part B

Recommended use and restrictions on use

Use of the substance/mixture : For Rx Only

1.3. **Supplier**

Manufacturer

Reliance Orthodontic Products, Inc. 1540 West Thorndale Ave.

Itasca, IL 60143 USA

630-773-4009, during normal business hours

www.relianceorthodontics.com

Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center

Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation H315 Causes skin irritation

Category 2

Serious eye damage/eye H319 Causes serious eye irritation

irritation Category 2 H317

Skin sensitization, Category

May cause an allergic skin reaction

Full text of H statements: see section 16

GHS Label elements, including precautionary statements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS-US) P261 - Avoid breathing vapors

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear protective gloves, face protection, eye protection

P302+P352 - If on skin: Wash with plenty of Wash skin with soap and water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see First aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P501 - Dispose in a safe manner in accordance with local/national regulations

Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

2/6/2018 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|--------------------------------|----------------------|---------|--|
| Fused Silica | (CAS-No.) 60675-86-0 | 10 - 30 | Skin Irrit. 2, H315 |
| BisGMA | (CAS-No.) 1565-94-2 | 10 - 30 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1, H317 |
| 2-N-Morpholinoethyl Methacryla | (CAS-No.) 2997-88-8 | 1 - 5 | Eye Irrit. 2A, H319 |

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapors.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing mist, vapors.

2/6/2018 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Fused Silica | (60675-86-0) | |
|----------------|--------------|--|
| Not applicable | | |

BisGMA (1565-94-2)

Not applicable

2-N-Morpholinoethyl Methacryla (2997-88-8)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Protective goggles

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste.
Color : Beige
Odor : Acrylic

Odor threshold : No data available рΗ : No data available Melting point : No data available Freezing point Not applicable Boiling point : No data available Flash point : Not applicable Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : Not applicable Solubility : No data available Log Pow : No data available : Not applicable Auto-ignition temperature

2/6/2018 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosion limits : Not applicable
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Fused Silica (60 | 0675-86-0) |
|---------------------------|------------|
| LD50 oral rat | N/A |
| LD50 dermal rat | N/A |
| LD50 dermal rabbit | N/A |
| LC50 inhalation rat (ppm) | N/A |

| 2-N-Morpholinoethyl Methacryla (2997-88-8) | |
|--|-----|
| LD50 oral rat | N/A |
| LD50 dermal rat | N/A |
| LD50 dermal rabbit | N/A |
| LC50 inhalation rat (ppm) | N/A |

 Skin corrosion/irritation
 : Causes skin irritation.

 Serious eye damage/irritation
 : Causes serious eye irritation.

 Respiratory or skin sensitization
 : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

| Fused Silica | (60675-86-0) | |
|--------------|--------------|---|
| IARC group | | 4 - Probably not carcinogenic to humans |

| 2-N-Morpholinoethyl Methacryla (2997-88-8) | |
|--|---|
| IARC group | 4 - Probably not carcinogenic to humans |

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

| Fused Silica (60675-86-0) | |
|----------------------------|-----------------------|
| LOAEL (oral,rat) | N/A mg/kg body weight |
| LOAEL (dermal,rat/rabbit) | N/A mg/kg body weight |
| LOAEC (inhalation,rat,gas) | N/A ppmV/4h |

2/6/2018 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Fused Silica (60675-86-0) | |
|---------------------------------------|-------------|
| LOAEC (inhalation,rat,vapour) | N/A mg/l/4h |
| LOAEC (inhalation,rat,dust/mist/fume) | N/A mg/l/4h |
| | |

| 2-N-Morpholinoethyl Methacryla (2997-88-8) | |
|--|-----------------------|
| LOAEL (oral,rat) | N/A mg/kg body weight |
| LOAEL (dermal,rat/rabbit) | N/A mg/kg body weight |
| LOAEC (inhalation,rat,gas) | N/A ppmV/4h |
| LOAEC (inhalation,rat,vapour) | N/A mg/l/4h |
| LOAEC (inhalation,rat,dust/mist/fume) | N/A mg/l/4h |

Specific target organ toxicity – repeated : Not classified

exposure

| Fused Silica (60675-86-0) | |
|---|--------------------------|
| LOAEL (oral,rat,90 days) | N/A mg/kg bodyweight/day |
| LOAEL (dermal,rat/rabbit,90 days) | N/A mg/kg bodyweight/day |
| LOAEC (inhalation,rat,gas,90 days) | N/A ppmV/6h/day |
| LOAEC (inhalation,rat,vapour,90 days) | N/A mg/l/6h/day |
| LOAEC (inhalation,rat,dust/mist/fume,90 days) | N/A mg/l/6h/day |

| 2-N-Morpholinoethyl Methacryla (2997-88-8) | |
|---|--------------------------|
| LOAEL (oral,rat,90 days) | N/A mg/kg bodyweight/day |
| LOAEL (dermal,rat/rabbit,90 days) | N/A mg/kg bodyweight/day |
| LOAEC (inhalation,rat,gas,90 days) | N/A ppmV/6h/day |
| LOAEC (inhalation,rat,vapour,90 days) | N/A mg/l/6h/day |
| LOAEC (inhalation,rat,dust/mist/fume,90 days) | N/A mg/l/6h/day |

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known effects from this product. GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

2/6/2018 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

TDG

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases:

| H315 | Causes skin irritation |
|------|-------------------------------------|
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H320 | Causes eye irritation |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

2/6/2018 EN (English US) 6/6